# U.S. FISH AND WILDLIFE SERVICE SPECIES ASSESSMENT AND LISTING PRIORITY ASSIGNMENT FORM

SCIENTIFIC NAME: Dubautia plantaginea ssp. magnifolia
COMMON NAME: Na`ena`e
LEAD REGION: Region 1
INFORMATION CURRENT AS OF: August 2005
STATUS/ACTION:
Species assessment - determined species did not meet the definition of endangered or
threatened under the Act and, therefore, was not elevated to Candidate status
New candidate
X Continuing candidate
Non-petitioned
X Petitioned - Date petition received: May 11, 2004
_ 90-day positive - FR date:
X 12-month warranted but precluded - FR date: May 11, 2005
N Did the petition request a reclassification of a listed species?
FOR PETITIONED CANDIDATE SPECIES:
a. Is listing warranted (if yes, see summary of threats below)? <u>yes</u>
b. To date, has publication of a proposal to list been precluded by other higher priority
listing actions? <u>yes</u>
c. If the answer to a. and b. is "yes", provide an explanation of why the action is
precluded. We find that the immediate issuance of a proposed rule and timely
promulgation of a final rule for this species has been, for the preceding 12 months, and
continues to be, precluded by higher priority listing actions. During the past 12 months,
most of our national listing budget has been consumed by work on various listing actions to comply with court orders and court-approved settlement agreements, meeting statutory
deadlines for petition findings or listing determinations, emergency listing evaluations
and determinations and essential litigation-related, administrative, and program
management tasks. We will continue to monitor the status of this species as new
information becomes available. This review will determine if a change in status is
warranted, including the need to make prompt use of emergency listing procedures. For
information on listing actions taken over the past 12 months, see the discussion of
"Progress on Revising the Lists," in the current CNOR which can be viewed on our
Internet website ( <a href="http://endangered.fws.gov">http://endangered.fws.gov</a> ).
Listing priority change
Former LP:
New LP:
Date when the species first became a Candidate (as currently defined): 1997
Candidate removal: Former LP:
A – Taxon is more abundant or widespread than previously believed or not subject to

the degree of threats sufficient to warrant issuance of a proposed listing or
continuance of candidate status.
U – Taxon not subject to the degree of threats sufficient to warrant issuance of a
proposed listing or continuance of candidate status due, in part or totally, to
conservation efforts that remove or reduce the threats to the species.
F – Range is no longer a U.S. territory.
I – Insufficient information exists on biological vulnerability and threats to support
listing.
M – Taxon mistakenly included in past notice of review.
N – Taxon does not meet the Act's definition of "species."
X – Taxon believed to be extinct.

ANIMAL/PLANT GROUP AND FAMILY: Flowering plants, Asteraceae (Sunflower family)

HISTORICAL STATES/TERRITORIES/COUNTRIES OF OCCURRENCE: Hawaii, island of Kauai

CURRENT STATES/ COUNTIES/TERRITORIES/COUNTRIES OF OCCURRENCE: Hawaii, island of Kauai

#### LAND OWNERSHIP:

Dubautia plantaginea ssp. magnifolia occurs on land owned by the State of Hawaii and managed as forest reserve.

LEAD REGION CONTACT: Paul Phifer, 503-872-2823, paul\_phifer@fws.gov

LEAD FIELD OFFICE CONTACT: Pacific Islands Fish and Wildlife Office, Christa Russell, 808-792-9400, christa\_russell@fws.gov

#### **BIOLOGICAL INFORMATION:**

Species Description Dubautia plantaginea ssp. magnifolia is a shrub or small tree up to 7 meters (m) (23 feet (ft)) tall; stems glabrous, occasionally sparsely strigose. Leaves are opposite, oblong-lanceolate, 8 to 26 centimeters (cm) (3.2 to 10 inches (in)) long, 0.7 to 4.5 cm (0.3 to 1.8 in) wide, glabrous, with toothed margins. Flower heads are up to 500 or more in paniculate inflorescences 6 to 30 cm (2.4 to 12 in) long, 6 to 30 cm (2.4 to 12 in) wide, and yellowish to purple with age. Achenes are 2.5 to 4 millimeters (mm) (0.1 to 0.2 in) long. This subspecies differs in that it has firmly connate bracts of a false involucre in a single series that are 5.5 to 6.5 mm (0.2 to 0.3 in) long (Carr 1999).

<u>Taxonomy</u> *Dubautia magnifolia* was first described by Sherff in 1933. In his monograph on *Argyroxiphium*, *Dubautia*, and *Wilkesia* (all members of the Hawaiian *Madiinae* in the Asteraceae family), G. Carr considered this entity to be a subspecies of the more common *D. plantaginea* (Carr 1985). This subspecies, however, is extremely rare and threatened. It is suspected that *D. plantaginea* ssp. *magnifolia* evolved relatively recently and never had a wide historic distribution on Kauai. *Dubautia plantaginea* ssp. *magnifolia* is recognized as a distinct

taxon in Carr (1999).

<u>Habitat</u> Typical habitat is bog and wet forest, and elevations between 300 and 2,100 m (984 and 6,890 ft) (Carr 1999).

<u>Historical and Current Range/Current Status</u> This subspecies is known from two populations totaling approximately 100 individuals near the summit of Waialeale on the island of Kauai (Marie Bruegmann, U.S. Fish and Wildlife Service (Service), pers. comm. 1997).

#### THREATS:

A. The present or threatened destruction, modification, or curtailment of its habitat or range. Dubautia plantaginea ssp. magnifolia is highly and imminently threatened by feral pigs (Sus scrofa) that adversely modify habitat (Dave Lorence, National Tropical Botanical Garden, pers. comm. 1996; Gerry Carr, University of Hawaii Botany Department, pers. comm. 1996). The summit of Waialeale is very highly impacted by feral pigs, whose numbers have increased substantially in the last 15 to 20 years. The impact to the bogs and native plants such as D. plantaginea ssp. magnifolia has dramatically increased as well. As early as 1778, European explorers introduced livestock, which became feral, increased in number and range, and caused significant changes to the natural environment of Hawaii. Past and present activities of introduced alien mammals are the primary factor altering and degrading vegetation and habitats on Kauai. The pig is originally native to Europe, northern Africa, Asia Minor, and Asia. European pigs, introduced to Hawaii by Captain James Cook in 1778, became feral and invaded forested areas, especially wet and mesic forests and dry areas at high elevations. They are currently present on Kauai and four other islands, and inhabit rain forests and grasslands. While rooting in the ground in search of the invertebrates and plant material they eat, feral pigs disturb and destroy vegetative cover, trample plants and seedlings, and threaten forest regeneration by damaging seeds and seedlings. They disturb soil and cause erosion, especially on slopes. Alien plant seeds are dispersed on their hooves and coats as well as through their digestive tracts, and the disturbed soil is fertilized by their feces, helping these plants to establish. Pigs are a major vector in the spread of many introduced plant species (Smith 1985; Stone 1985; Medeiros et al. 1986; Scott et al. 1986; Tomich 1986; Cuddihy and Stone 1990; Wagner et al. 1999a). Pig exclusion fences protect one of the two known populations of this species; however, without continued monitoring and maintenance of those fences, pigs from surrounding areas can easily access fenced areas. In addition, the remaining, unfenced individuals of this taxon are still impacted by this threat.

B. <u>Overutilization for commercial, recreational, scientific, or educational purposes</u>. None known.

# C. Disease or predation.

None known.

## D. The inadequacy of existing regulatory mechanisms.

Pigs are managed in Hawaii as game animals but may populate inaccessible areas where hunting is difficult, if not impossible, and therefore has little effect on their numbers (Hawaii Heritage

Program 1990). Pig hunting is allowed on all islands either year-round or during certain months, depending on the area (Hawaii Department of Land and Natural Resources n.d.-a, n.d.-b, n.d.-c, n.d.-d). However, public hunting does not adequately control the number of pigs to eliminate this threat to this taxon. Pig exclusion fences protect one of the two known populations of this species; however, without continued monitoring and maintenance of those fences, pigs from surrounding areas can easily access fenced areas. In addition, the remaining, unfenced individuals of this taxon are still impacted by this threat.

# E. Other natural or manmade factors affecting its continued existence. Alien plant species are a threat to this subspecies (D. Lorence, and G. Carr, pers. comms. 1996).

The original native flora of Hawaii consisted of about 1,400 species, nearly 90 percent of which were endemic. Of the total native and naturalized Hawaiian flora of 1,817 taxa, 47 percent were introduced from other parts of the world, and nearly 100 species have become pests (Smith 1985; Wagner et al. 1999a). Several studies (Cuddihy and Stone 1990; Wood and Perlman 1997; Robichaux et al. 1998) indicate nonnative plant species may outcompete native plants similar to D. plantaginea ssp. magnifolia. Competition may be for space, light, water, or nutrients, or there may be a chemical inhibition of other plants (Smith 1985; Cuddihy and Stone 1990). In addition, nonnative pest plants found in habitat similar to that of this species have been shown to make the habitat less suitable for native species (Smathers and Gardner 1978; Smith 1985; Loope and Medeiros 1992; Medeiros et al. 1992; Ellshoff et al. 1995; Meyer and Florence 1996; Medeiros et al. 1997; Loope et al. 2004). In particular, alien pest plant species modify habitat by modifying availability of light, altering soil-water regimes, modifying nutrient cycling, or altering fire characteristics of native plant communities (Smith 1985; Cuddihy and Stone 1990; Vitousek et al. 1987). Because of demonstrated habitat modification and resource competition by nonnative plant species in habitat similar to habitat of Cyanea lanceolata, the Service believes nonnative plant species are a threat to D. plantaginea ssp. magnifolia. The remaining unmanaged populations of *D. plantaginea* ssp. *magnifolia* are still impacted by this threat.

Nonnative plants are being controlled in one of the two known populations of this species, but will probably never be completely eradicated because new propagules are constantly being dispersed into the fenced area from surrounding, unmanaged lands. Many widespread alien taxa cannot be completely eradicated from an island or the State, and therefore are expected to disperse into previously managed areas (Loope 1998, Smith 1985). The remaining populations of the species are still impacted by this threat.

In addition, species like *Dubautia plantaginea* ssp. *magnifolia* that are endemic to single small islands are inherently more vulnerable to extinction than widespread species because of the higher risks posed to a few populations and individuals by genetic bottlenecks, random demographic fluctuations and localized catastrophes such as hurricanes. When considered on their own, the natural processes associated with being a single island endemic and the habitat perturbation caused by hurricanes do not affect *D. plantaginea* ssp. *magnifolia* to such a degree that it is threatened or endangered with extinction in the foreseeable future, but these natural processes can exacerbate the threat from anthropogenic factors, such as landslides, are additional

threats.

#### CONSERVATION MEASURES PLANNED OR IMPLEMENTED

The Service has provided funding through its Partners for Fish and Wildlife and Coastal Programs to the Waipa Foundation, a non-profit grassroots community organization on Kauai, and work has begun on riparian and coastal restoration at four sites in Lumahai Valley. The riparian site(s) will provide protection to *Dubautia plantaginea* ssp. *magnifolia* and other rare plants, through weed control and outplanting (The Nature Conservancy 2005).

#### SUMMARY OF THREATS

The major threats to this taxon are pigs and nonnative plant species, which are believed to be a major cause of the decline of this species throughout its range. Feral pigs have been fenced out of one of the two populations where *Dubautia plantaginea* ssp. *magnifolia* currently occurs, but the fences must be continually maintained to prevent incursion. Nonnative plants have been reduced in the one population that is fenced. These on-going conservation efforts for this species benefit only one of the two known populations. The species as a whole is still impacted by these threats and will require long-term monitoring and management to maintain threat free areas.

#### LISTING PRIORITY

THREAT			
Magnitude	Immediacy	Taxonomy	Priority
High	Imminent  Non-imminent	Monotypic genus Species Subspecies/population Monotypic genus Species Subspecies/population	1 2 3* 4 5 6
Moderate to Low	Imminent Non-imminent	Monotypic genus Species Subspecies/population Monotypic genus Species Subspecies/population	7 8 9 10 11 12

## **Rationale for listing priority number:**

Magnitude:

Dubautia plantaginea ssp. magnifolia is highly threatened by pigs that degrade and destroy habitat, nonnative plants that outcompete and displace it, and by stochastic events. Threats to montane wet forest and bog habitat of *D. plantaginea* ssp. magnifolia and to individuals of this subspecies occur throughout its range, and are expected to continue or increase without their control or eradication. Feral pigs have been fenced out of one of the two populations of *D. plantaginea* ssp. magnifolia, but the fences must be continually maintained to prevent incursion.

Nonnative plants have been reduced in the one population that is fenced. These on-going conservation efforts for this species benefit only one of the two known populations. The species as a whole is still impacted by these threats and will require long-term monitoring and management to maintain threat free areas.

#### Imminence:

Threats to *Dubautia plantaginea* ssp. *magnifolia* from pigs, nonnative plants, and stochastic events, are imminent because they are ongoing.

Yes Have you promptly reviewed all of the information received regarding the species for the purpose of determining whether emergency listing is needed?

Is Emergency Listing Warranted? No. The subspecies does not appear to be appropriate for emergency listing at this time because the immediacy of the threats is not so great as to imperil a significant proportion of the taxon within the time frame of the routine listing process. In addition, the Service has provided funding to a community organization for propagation, outplanting, and augmentation of existing populations of *Dubautia plantaginea* ssp. *magnifolia* on Kauai, which will benefit this subspecies. If it becomes apparent that the routine listing process is not sufficient to prevent large losses that may result in this subspecies' extinction, then the emergency rule process for this subspecies will be initiated. We will continue to monitor the status of *D. plantaginea* ssp. *magnifolia* as new information becomes available. This review will determine if a change in status is warranted, including the need to make prompt use of emergency listing procedures.

#### **DESCRIPTION OF MONITORING:**

Much of the information in this form is based on the results of a meeting of 20 botanical experts held by the Center for Plant Conservation in December of 1995, and was updated by personal communication with Gerald Carr of the University of Hawaii, an expert on Hawaiian silversword relatives in 1996; Dave Lorence, National Tropical Botanical Garden, in 1996; and Marie Bruegmann, Service, in 1997. We have incorporated additional information on this subspecies from our files and the most recent supplement to the *Manual of the Flowering Plants of Hawaii* (Wagner and Herbst 2003). In 2004, the Pacific Islands office contacted the following species experts: Bob Hobdy, retired from Hawaii Division of Forestry and Wildlife; Joel Lau, Hawaii Natural Heritage Program; Art Medeiros, U.S.G.S. Biological Resources Discipline; Hank Oppenheimer, resource manager for Maui Land and Pineapple Company; and Steve Perlman and Ken Wood, National Tropical Botanical Garden. No new information was provided by these individuals and they were not able to clarify the current status of these plants in 2004. In 2005 we contacted the species experts listed below, but received no new information on this taxon.

The Hawaii Natural Heritage Program identified this species as critically imperiled (Hawaii Natural Heritage Program Database 2004). Based on the International Union for Conservation of Nature and Natural Resources Red Plant Data Book rarity categories, this subspecies is recognized as Vulnerable (likely to be endangered unless threats to its survival are removed or reduced) by Wagner *et al.* (1999b).

Species experts were contacted but did not provide new information this year, no new literature was found, and no known entities are studying this species. However, it is highly likely that the previously reported threats continue to impact the species at the same or an increased level.

#### COORDINATION WITH STATES

In October 2004 we provided the Hawaii Division of Forestry and Wildlife with copies of our most recent candidate assessments for their review and comment. Vickie Caraway, the State botanist, reviewed the information for this species and provided no additional information or corrections (V. Caraway, pers. comm. 2005).

#### LITERATURE CITED

List all experts contacted:

Name	Date	Place of Employment
1. Joel Lau	June 28, 2005	Hawaii Natural Heritage Program
2. Art Medeiros	June 28, 2005	U.S.G.S. Biological Resources Discipline
3. Jim Jacobi	June 28, 2005	U.S.G.S. Biological Resources Discipline
4. Rick Warshauer	June 28, 2005	U.S.G.S. Biological Resources Discipline
5. Hank Oppenheimer	June 28, 2005	Maui Land and Pineapple Company
6. Kapua Kawelo	June 28, 2005	U.S. Army
7. Dave Lorence	June 28, 2005	National Tropical Botanical Garden
8. Steve Perlman	March 29, 2005	National Tropical Botanical Garden
9. Ken Wood	August 2, 2005	National Tropical Botanical Garden
10. Marie Bruegmann	July 13, 2005	U.S. Fish and Wildlife Service
11. Vickie Caraway	June 14, 2005	Hawaii Division of Forestry and Wildlife

### List all databases searched:

Name Date

1. Hawaii Natural Heritage Program 2004

#### Other resources utilized:

- Carr, G.D. 1985. Monograph of the Hawaiian *Madiinae* (Asteraceae): *Argyroxiphium*, *Dubautia*, and *Wilkesia*. Allertonia 4: 80.
- Carr, G.D. 1999. *Dubautia: In* Wagner, W.L., D.R. Herbst, and S.H. Sohmer, Manual of the flowering plants of Hawai'i. University of Hawaii Press and Bishop Museum Press, Honolulu. Bishop Mus. Spec. Publ. 97: 292-308.
- Center for Biological Diversity, Dr. Jane Goodall, Dr. E.O. Wilson, Dr. Paul Ehrlich, Dr. John Terborgh, Dr. Niles Eldridge, Dr. Thomas Eisner, Dr. Robert Hass, Barbara Kingsolver, Charles Bowden, Martin Sheen, the Xerces Society, and the Biodiversity Conservation Alliance. 2004. Hawaiian Plants: petitions to list as federally endangered species. May 4, 2004.
- Cuddihy, L.W., and C.P. Stone. 1990. Alteration of native Hawaiian vegetation; effects of humans, their activities and introductions. Coop. Natl. Park Resources Stud. Unit, Hawaii. 138 pp.
- Ellshoff, Z.E., D.E. Gardner, C. Wikler, and C.W. Smith. 1995. Annotated bibliography of the genus *Psidium*, with emphasis on *P. cattleianum* (strawberry guava) and *P. guajava*

- (common guava), forest weeds in Hawai`i. Cooperative National Park Resources Studies Unit, University of Hawaii. Technical Report 95.
- Hawaii, Department of Land and Natural Resources. N.d.-a. Summary of Title 13, Chapter 123, Game mammal hunting rules, island of Oahu. Division of Forestry and Wildlife, Honolulu. 2 pp.
- Hawaii, Department of Land and Natural Resources. N.d.-b. Summary of Title 13, Chapter 123, Game mammal hunting rules, island of Molokai. Division of Forestry and Wildlife, Honolulu. 2 pp.
- Hawaii, Department of Land and Natural Resources. N.d.-c. Summary of Title 13, Chapter 123, Game mammal hunting rules, island of Maui. Division of Forestry and Wildlife, Honolulu. 2 pp.
- Hawaii, Department of Land and Natural Resources. N.d.-d. Summary of Title 13, Chapter 123, Game mammal hunting rules, island of Kauai. Division of Forestry and Wildlife, Honolulu.
- Loope, L.L. and A.C. Medeiros. 1992. A new and invasive grass on Maui. Newsletter of the Hawaiian Botanical Society 31: 7-8.
- Loope, L.L. 1998. Hawaii and Pacific Islands. Pp. 747-774. In: M.J. Mac, P.A. Opler, C.E. Puckett Haecker, and P.D. Doran (eds.). Status and Trends of the Nation's Biological Resources, Volume 2. U.S. Department of the Interior, U.S. Geological Survey, Reston, VA.
- Loope, L., F. Starr and K. Starr. 2004. Management and research for protecting endangered Hawaiian plant species from displacement by invasive plants on Maui, Hawaii. Weed Technology 18: 1472-1474.
- Medeiros, A.C., L.L. Loope, P. Conant and S. McElvaney. 1997. Status, ecology, and management of the invasive plant, *Miconia calvescens* DC (Melastomataceae) in the Hawaiian Islands. Bishop Mus. Occas. Pap.48: 23-36.
- Medeiros, A.C., L.L. Loope, T. Flynn, S.J. Anderson, L.W. Cuddihy, and K.A. Wilson. 1992. Notes on the status of an invasive Australian tree fern (*Cyathea cooperi*) in Hawaiian rain forests. American Fern Journal 82: 27-33.
- Medeiros, A.C., Jr., L.L. Loope, and R.A. Holt. 1986. Status of native flowering plant species on the south slope of Haleakala, East Maui, Hawaii. Coop. Natl. Park Resources Stud. Unit, Hawaii, Techn. Rept. 59:1-230.
- Meyer, J.-Y. and J. Florence. 1996. Tahiti's native flora endangered by the invasion of *Miconia calvescens* D.C. (Melastomataceae). Journal of Biogeography 23: 775-781.
- Robichaux, R., J. Canfield, F. R. Warshauer, L. Perry, M. Bruegmann, and G. Carr. 1998. Adaptive Radiation. Endangered Species Bulletin. November/December.
- Scott, J.M., S. Mountainspring, F.L. Ramsey, and C.B. Kepler. 1986. Forest bird communities of the Hawaiian Islands: Their dynamics, ecology, and conservation. Studies in Avian Biology 9: 1-429. Cooper Ornithological Society, Los Angeles.
- Sherff, E.E. 1933. Some new or otherwise important Compositae of the Hawaiian Islands. Amer. J. Bot. 20: 616.
- Smathers, G.A. and D.E. Gardner. 1978. Stand analysis of an invading firetree (*Myrica faya* Aiton) population, Hawai`i. Proceeding of the Second Conference on Natural Science, Hawaii Volcanoes National Park, pp. 274-288.
- Smith, C.W. 1985. Impact of alien plants on Hawai'i's native biota: in Stone, C.P., and J.M.

- Scott (eds.), Hawai`i's Terrestrial Ecosystems: Preservation and Management. Coop. Natl. Park Resources Stud. Unit, Univ. Hawaii, Honolulu, pp. 180-250.
- The Nature Conservancy. 2005. Invasive plant control in Lumahai Valley, Kauai, Hawaii: Annual progress report. Prepared for U.S. Fish and Wildlife Service, Honolulu. July, 2005.
- Vitousek, P.M., C.M. D'Antonio, L.L. Loope, M. Rejnanek, and R. Westerbrooks. 1997. Introduced species: a significant component of human-caused global change. New Zealand Journal of Ecology 21(1): 1-16.
- Wagner, W.L., D.R. Herbst, and S.H. Sohmer. 1999a. Manual of the Flowering Plants of Hawai'i, Bishop Mus. Spec. Publ. 97: 1-1918. University of Hawaii Press and Bishop Museum Press, Honolulu.
- Wagner, W.L., M.M. Bruegmann, and J.Q.C. Lau. 1999b. Hawaiian vascular plants at risk: 1999. Bishop Mus. Occas. Pap. 60: 1-58.
- Wagner, W.L. and D.R. Herbst. 2003. Electronic supplement to the manual of flowering plants of Hawai'i, version 3.1. December 12, 2003. Available from the Internet. URL: <a href="http://rathbun.si.edu/botany/pacificislandbiodiversity/hawaiianflora/supplement.htm">http://rathbun.si.edu/botany/pacificislandbiodiversity/hawaiianflora/supplement.htm</a>.
- Wood, K.R. and S. Perlman. 1997. Maui 14 plant survey final report. Submitted by National Tropical Botanical Garden, October, 1997.

APPROVAL/CONCURRENCE: Lead Regions must obtain written concurrence from all other Regions within the range of the species before recommending changes to the candidate list, including listing priority changes; the Regional Director must approve all such recommendations. The Director must concur on all 12-month petition findings, additions of species to the candidate list, removal of candidate species, and listing priority changes.

Approve:	Regional Director, Fish and Wildliff	e Service Date
	Marchall Jones Jr.	
Concur:	Director, Fish and Wildlife Service	August 23, 2006 Date
Do not concur	:	Date
	review: <u>September 20, 2005</u> <u>Marie M. Bruegmann, Pacific Island</u> Plant Recovery Coordinator	ds FWO
Comments: PIFWO Revie	<u>w</u>	
Reviewed by:	<u>Christa Russell</u> Plant Conservation Program Leader	Date: September 21, 2005
	Gina Shultz Assistant Field Supervisor, Endangered Species	Date: October 13, 2005
	Patrick Leonard Field Supervisor	Date: October 13, 2005